

Spring 2025

Math F113X

Exam 2

Name: _____

Section: ☐ 10:30 am (Leah Berman)
☐ 2:15pm (Jill Faudree)

Rules:

- Partial credit will be awarded, but you must show your work.
- You may have 1/2 of a standard page of paper (8.5" \times 5.5") of notes, both sides.
- Calculators are allowed.
- Place a box around your FINAL ANSWER to each question where appropriate.
- Turn off anything that might go beep during the exam.

Good luck!

Problem	Possible	Score
1	9	
2	9	
3	12	
4	14	
5	14	
6	10	
7	12	
8	12	
9	8	
Extra Credit	(5)	
Total	100	

1. (9 points)

Define the following:

a. A Hamiltonian circuit

b. An Euler circuit

c. a spanning tree

2. (9 points)

Construct a scheduling digraph corresponding to the following list of tasks and dependencies.

Task	Time	dependency
A	8 hours	
B	2 hours	
C	1 hour	B
D	4 hours	A, C
E	1 hour	A
F	5 hours	D, E
G	1 hour	E

3. (12 points)

Recall Kruskal's Algorithm says the following:



Kruskal's Algorithm: Select the cheapest edge in the graph that does not create a circuit. Stop when a spanning tree is obtained.

- a. Use Kruskal's Algorithm to determine a **minimum cost spanning tree** in the following graph.

Break any ties by choosing the edge that comes earlier in the alphabet. (For example, edge DC is the same edge as edge CD , and CD alphabetizes earlier than GH .)

Construct a minimum cost spanning tree in the second graph, and keep track of the steps of the algorithm, the edges that you are using and the weights, in the table below.

For convenience, the edges of the graph are listed in order in the table below.



Sorted edges	weight	used?
AG	1	
EF	1	
BG	2	
CF	2	
FG	2	
BC	3	
CG	4	
EG	4	
AB	5	
DE	6	
DG	7	
AD	20	

- b. What is the total cost of the spanning tree you found? _____

4. (14 points)

Recall:



Sorted Edges / Cheapest Link Algorithm: Select the cheapest edge in the graph that does not create a vertex of degree 3 or close the circuit too soon.

- a. Use **Sorted Edges / Cheapest Link Algorithm** to find a **Hamiltonian circuit** in the following graph.

Break any ties by choosing the edge that comes earlier in the alphabet. (For example, edge DC is the same edge as edge CD , and CD alphabetizes earlier than GH .)

Keep track of the cycle in the second graph.

For convenience, the edges of the graph are listed in order in the table below.



Sorted edges	weight	used?
AG	1	
EF	1	
BG	2	
CF	2	
FG	2	
BC	3	
CG	4	
EG	4	
AB	5	
DE	6	
DG	7	
AD	20	


- b. Write the Hamiltonian circuit you found, beginning with vertex A .

- c. What is the total weight of the Hamiltonian circuit? _____

- d. Is this the cheapest possible Hamiltonian circuit in this graph? _____ Explain your answer below.

6. (10 points)

Consider the following digraph:




- a. Construct the priority list for the digraph corresponding to the **decreasing time algorithm**.

- b. Label the vertices of the digraph according to the **backflow algorithm**.

- c. Construct the priority list for the digraph corresponding to the **critical path algorithm**.

7. (12 points)


- a. Explain why the graph on the right does not contain an Euler circuit.



- b. Eulerize the graph on the right **using as few edge duplications as possible**. Make your added edges very clear!

- c. Find an **Euler circuit** in the eulerized graph by **drawing** the circuit on the (larger) graph to the right and **listing** the vertices of the circuit in the blank below. (You will have to add your edges from part b in again!)

Euler circuit: _____



8. (12 points)

Recall Dijkstra's algorithm says the following:


Dijkstra's Algorithm

input: a graph with distances (weights) on the edges and a starting vertex, say s

output: the shortest distance between s and every vertex in the graph

rough strategy: All vertices get **tentative** distances to vertex s . One-by-one, vertices are explored and tentative distances are updated until minimum distances are obtained. Break ties alphabetically.

- a. Use Dijkstra's algorithm to determine the distances between vertex S and each other vertex. Clearly show the steps of the algorithm in the space provided.



Explored?	vertices	tentative distances
	S	
	A	
	B	
	C	
	D	
	E	

vertex	minimum distance to S
S	
A	
B	
C	
D	
E	

- b. Which vertex is farthest away from S ? _____ How far is it? _____

9. (8 points)

Give an example of a real world situation in which you would want to find:

a. a minimum weight Hamiltonian circuit.

b. an Euler circuit.

10. (Extra Credit: 5 points)

For each of the following, circle the correct answer. Write a few words to justify your answer.

True False (a) Given any connected finite graph with weighted edges, you can always find an optimal Hamiltonian circuit in a reasonable amount of time.

True False (b) Given any graph where the degree of each vertex is even, you can always find an Euler circuit in a reasonable amount of time.

True False (c) Given any connected graph, you can always find a minimal-weight spanning tree.

True False (d) The critical path algorithm always produces an optimal schedule.

True False (e) Adding more processors will always give you a shorter schedule.