

Voting Theory

You should know

Terminology: majority, plurality, Cordorcet Winner

Voting Methods by Name: Plurality Method, Instant Run-off Voting (IRV), Borda Count, Copeland's Method

Sample Voting Theory Problem

A class of middle schoolers are trying to decide what would be the worst ingredient to add to a cake their Principal has to eat if they win the Science Bowl. They narrow their options down to three – pickled onions (PO), stinky cheese (SC), or anchovies (A). The class is polled and the resulting preference schedule is below.

	22	5	23	2	11	20
1st choice	PO	PO	SC	SC	A	A
2nd choice	SC	A	PO	A	PO	SC
3rd choice	A	SC	A	PO	SC	PO

- How many students voted? $22 + 5 + 23 + 2 + 11 + 20 = 83$
- How many votes does a candidate need to win in order to win a majority? Show the calculation that gives your answer. $83/2 = 41.5$. So 42 votes
- How many votes does a candidate need to win in order to win a plurality? Show the calculation that gives your answer. $83/3 = 27.6$ So 28 votes
- Find the winner using the plurality method. Show your work.

$$PO: 22 + 5 = 27 \text{ No}$$

$$SC: 23 + 2 = 25 \text{ No}$$

$$A: 11 + 20 = 31 \text{ Yes}$$

A wins

- Find the winner using Instant Runoff Voting. Show your work.

From (4), SC is eliminated.

New schedule

$$PO: 22 + 5 + 23 = 50$$

$$A: 2 + 11 + 20 = 33$$

PO wins

points

3

2

1

	22	5	23	2	11	20
1st choice	PO	PO	SC	SC	A	A
2nd choice	SC	A	PO	A	PO	SC
3rd choice	A	SC	A	PO	SC	PO

6. Find the winner using Borda Count. Show your work.

$$PO : 3(22+5) + 2(23+11) + 1(2+20) = 171$$

$$SC : 3(23+2) + 2(22+20) + 1(5+11) = 175$$

$$A : 3(11+20) + 2(5+2) + 1(22+23) = 152$$

SC wins

7. Find the winner using Copeland's Method. Show your work.

$$\begin{array}{r} PO \text{ vs } SC \\ 22 \quad 23 \\ 5 \quad 2 \\ 11 \quad 20 \\ \hline 38 \quad 45 \end{array}$$

SC wins

$$\begin{array}{r} SC \text{ vs } A \\ 22 \quad 5 \\ 23 \quad 11 \\ 2 \quad 20 \\ \hline 47 \quad 36 \end{array}$$

SC wins

$$\begin{array}{r} PO \text{ vs } A \\ 22 \quad 2 \\ 5 \quad 11 \\ 23 \quad 20 \\ \hline 50 \quad 33 \end{array}$$

PO wins

SC 2pts
PO 1pt
A 0pts

winner SC

8. Is any candidate a Condorcet Winner? Explain your answer.

Yes. SC is the Condorcet Winner

Weighted Voting

Terminology: quota, weight, winning coalition, critical player in a winning coalition, dictator, veto power, dummy, Banzhaf Power Index or Banzhaf Power Distribution.

Sample Weighted Voting Problems

1. For each weighted voting system below, determine if there are any dictators, anyone with veto power, or any dummies.

(a) $[16 : 16, 11, 3, 1]$ dictator: P_1
 veto power: P_1
 dummies: P_2, P_3, P_4

(b) $[51 : 40, 30, 20, 10]$ dictator: None
 veto power: None
 dummies: None

● (c) $[31 : 10, 9, 8, 7, 6]$ dictator: None
 veto power: P_1
 dummies: None

2. Consider the weighted voting system $[q : 21, 20, 7, 5]$ where the players can pass a motion with a **majority**.

(a) What is q in this case? $21 + 20 + 7 + 5 = 53$, $\frac{53}{2} = 26.5$. $So\ q = 27$

- (b) List all winning coalitions.

$\underline{P_1 P_2}$ $\underline{P_2 P_3}$ $\underline{P_1 P_2 P_4}$ $\underline{P_2 P_3 P_4}$
 $\underline{P_1 P_3}$ $P_1 P_2 P_3$ $\underline{P_1 P_3 P_4}$ $P_1 P_2 P_3 P_4$

- (c) In each of the winning coalitions above, indicate who is a critical player.


In red

- (d) Calculate the Banzhaf Power Index for each player.

		BPI
P_1	4	$\frac{1}{3}$
P_2	4	$\frac{1}{3}$
P_3	4	$\frac{1}{3}$
P_4	0	0
total	12	

- (e) Based on your calculations above, are there any dummies? Explain.

P_4 is never critical in any coalition.



Sample Fair Division Problems

- For each of the three methods listed above, what is the **context** in which they are appropriate?
- (a) James, Gordon, Julie, Alexei, and Latrice divide their pile of Halloween candy worth a total of \$20. Determine who was the divider and determine how the lone divider method would proceed.

	Pile 1	Pile 2	Pile 3	Pile 4	Pile 5
James	\$0	\$5	\$10	\$5	\$0
Gordon	\$2	\$4	\$6	\$2	\$6
Julie	\$4	\$4	\$4	\$4	\$4
Alexei	\$2	\$4	\$12	\$2	\$0
Latrice	\$2	\$10	\$7	\$1	\$0

$$\frac{\$20}{5} = \$4$$

fair share

Julie is the divider
Assignment of fair shares

James Pile 4
Gordon Pile 5
Julie Pile 1
Alexei Pile 3
Latrice Pile 2

no choice here
switch is also ok!

- (b) Suppose **Gordon** changes his evaluation of the piles. Now determine how the lone divider method would proceed.

	Pile 1	Pile 2	Pile 3	Pile 4	Pile 5
James	\$0	\$5	\$10	\$5	\$0
Gordon	\$2	\$7	\$6	\$2	\$3
Julie	\$4	\$4	\$4	\$4	\$4
Alexei	\$2	\$4	\$12	\$2	\$0
Latrice	\$2	\$10	\$7	\$1	\$0

Now, we see three people (Gordon, Alexei, Latrice) only consider Piles 2 and 3 to be fair.

Assignments: James Pile 4
Julie Pile 1

uncontested piles

Gordon, Alexei, and Latrice will split the combined piles 2, 3, and 5 via another round of lone divider.

3. The Cookie Monster and Elmo are splitting a giant cookie that is half chocolate-chip and half oatmeal worth \$6. The Cookie Monster likes chocolate chip twice as much as oatmeal. Elmo likes oatmeal three times as much as chocolate chip.

Share 1 is: *choc. chip half* Share 2 is: *oatmeal half*

	share 1	share 2
Cookie Monster	<i>\$4</i>	<i>\$2</i>
Elmo	<i>\$1.50</i>	<i>\$4.50</i>

$$\begin{aligned}
 c + 3c &= 6 \\
 4c &= 6 \\
 c &= \frac{6}{4} = \frac{3}{2} = 1.5
 \end{aligned}$$

4. Harry Potter (P), Hermione Granger (G), Luna Lovegood (L), and Ronald Weasley (W) are dividing up some loot they found in the dungeons. The loot consists of a velvet cloak, a gold chalice, and a self-cleaning cauldron. They decide to divide the loot using the sealed bid method. The table below shows how many gold coins each person bid for each item.

	cloak	chalice	cauldron
Potter	60 gold coins	60 gold coins	0 gold coins
Granger	50 gold coins	10 gold coins	80 gold coins
Lovegood	100 gold coins	0 gold coins	100 gold coins
Weasley	30 gold coins	20 gold coins	30 gold coins

- (a) Determine each person's fair share.

$$P: (60 + 60) / 4 = 30$$

$$L: 200 / 4 = 50$$

$$G: (50 + 10 + 80) / 4 = 35$$

$$W: (30 + 20 + 30) / 4 = 20$$

- (b) Determine which person gets each item.

chalice to Potter

cloak and cauldron to Luna

- (c) Determine how many gold coins each of them owes to the holding pile or receives from the holding pile.

Potter owes $60 - 30 = 30$ coins


Granger receives 35

Luna owes $200 - 50 = 150$ coins

Weasley gets 20

(d) Determine the surplus.

Surplus is 125 coins



Surplus 125

$$\frac{125}{4} = 31.25 \leftarrow \text{per person}$$

(e) Determine the final allotment.

Potter : gets chalice, gets 1.25 coins

Granger : gets 66.25 coins

Luna : gets cloak and cauldron, pays 118.7 coins

Weasley : gets 51.25 coins